Volume 321 1997

Author-Title Index

Abada-Simon M., Lecacheux A., Aubier M., Bookbinder J.A.: High resolution dynamic spectrum of a spectacular radio burst from the flare star AD Leonis **321**, 841

Aguirre A., see Benítez N., et al. **321**, 129

Alakoz A.V., see Kalenskii S.V., et al. **321**, 311

Alard C.: Lensing of unresolved stars towards the Galactic Bulge **321**, 424

Alises M., see Benítez N., et al. **321**, 129

Alloin D., Guilloteau S., Barvainis R., Antonucci R., Tacconi L.: The gravitational lensing nature of the Cloverleaf unveiled in CO (7–6) line emission **321**, 24

Alvarez M., see Sareyan J.P., et al. **321**, 145

Anderson I.M., Harju J., Knee L.B.G., Haikala L.K.: A molecular disk and dense outflow in Corona Australis **321**, 575

Andreani P., see Cristiani S., et al. **321**, 123

Andrievsky S.M.: **(RN)** On the possible origin of λ Boo stars **321**, 838

Angeletti L., Giannone P.: M/L_B and $[Fe/H]$ of elliptical galaxies and the initial mass function **321**, 343

Ansari R., see Beaulieu J.P., et al. **321**, L5

Antonucci R., see Alloin D., et al. **321**, 24

Appenzeller I., see Zweigle J., et al. **321**, 891

Arnould M., Paulus G., Meynet G.: Short-lived radionuclide production by non-exploding Wolf–Rayet stars **321**, 452

Asplund M., Gustafsson B., Lambert D.L., Kameswara Rao N.: A stellar endgame – the born-again Sakurai's object **321**, L17

Athanassoula E., see Verdes-Montenegro L., et al. **321**, 409

Athanassoula E., see Verdes-Montenegro L., et al. **321**, 754

Aubier M., see Abada-Simon M., et al. **321**, 841

Aubourg E., see Beaulieu J.P., et al. **321**, L5

Augarde R., see Verdes-Montenegro L., et al. **321**, 409

Bachiller R., see Cox P., et al. **321**, 907

Backman D.E., see Lecavelier des Etangs A., et al. **321**, L39

Bagnulo S., Skinner C.J., Doyle J.G., Camphens M.: Carbon stars with detached dust shells: the circumstellar envelope of UU Aurigae **321**, 605

Bareyre P., see Beaulieu J.P., et al. **321**, L5

Barnstedt J., see Zweigle J., et al. **321**, 891

Barthel P.D., see de Vries W.H., et al. **321**, 105

Bartus J., see Oláh K., et al. **321**, 811

Barvainis R., see Alloin D., et al. **321**, 24

Basu S., Christensen-Dalsgaard J., Thompson M.J.: SVD preprocessing of helioseismic data for solar structure inversion **321**, 634

Beaulieu J.P., Krockenberger M., Sasselov D.D., Renault C., Ferlet R., Vidal-Madjar A., Maurice E., Prévot L., Aubourg E., Bareyre P., Brehin S., Coutures C., Delabrouille N., de Kat J., Gros M., Laurent B., Lachièze-Rey M., Lesquoy E., Magneville C., Milsztajn A., Moscoso L., Queinnec F., Rich J., Spiro M., Vigroux L., Zylberajch S., Ansari R., Cavalier F., Moniez M., Gry C.: EROS VARIABLE STARS: Discovery of Beat Cepheids in the Small Magellanic Cloud and the effect of metallicity on pulsation **321**, L5

Beck R., see Chi X., et al. **321**, 71

Beintema D.A., see de Graauw T., et al. **321**, L13

Belley J., see Martin P. **321**, 363

Belloni T., see Mereghetti S., et al. **321**, 835

Benítez N., Martínez-González E., Martín-Mirones J.M.: Statistical excess of foreground galaxies around high-z radiogalaxies **321**, L1

Benítez N., Martínez-González E., Sanz J.L., Aguirre A., Alises M.: The absorbers towards Q 0836+113 **321**, 129

Bennett K., see Galama T.J., et al. **321**, 229

Bergeat J., Knapik A.: The barium stars in the Hertzsprung–Russell diagram **321**, L9

Bergeat J., see Knapik A. **321**, 236

Bergeron J., see Le Brun V., et al. **321**, 733

Bergvall N., Östlin G., Karlsson K.G., Örndahl E., Rönnback J.: Emission line flux limits in four QSO metal line absorbers **321**, 771

Bertin G., Leeuwin F., Pegoraro F., Rubini F.: Anisotropic stellar systems with tangentially biased velocity dispersion **321**, 703

Beust H., see Lecavelier des Etangs A., et al. **321**, L39

Bézard B., see de Graauw T., et al. **321**, L13

Bianchini A., Della Valle M., Masetti N., Margoni R.: Spectroscopic study of GRO J1655–40: the outburst and the decline **321**, 477

Bianda M., see Sütterlin P., et al. **321**, 921

Bienaymé O., Pichon C.: Comment on the dispersion-velocity of galactic dark matter particles **321**, L43

Biviano A., Katgert P., Mazure A., Moles M., den Hartog R., Perea J., Focardi P.: The ESO Nearby Abell Cluster Survey. III. Distribution and kinematics of emission-line galaxies **321**, 84

Bloemen H., see Blom J.J., et al. **321**, 288

Blom J.J., Bloemen H., Bykov A.M., Burton W.B., Hartmann D., Hermsen W., Iyudin A.F., Ryan J., Schönfelder V., Strong A.W., Uvarov Y.A.: COMPTEL detection of low-energy gamma rays from the HVC Complex M and A region? **321**, 288

Bodo G., see Rossi P., et al. **321**, 672

Boiko A.Y., see Katsova M.M., et al. **321**, 549

Boissé P., see Le Brun V., et al. **321**, 733

Bookbinder J.A., see Abada-Simon M., et al. **321**, 841

Booth R.S., see Kalenskii S.V., et al. **321**, 311
Boriakoff V., see Smirnova T.V. **321**, 305
Bosma A., see Verdes-Montenegro L., et al. **321**, 754
Bowyer S., see Taresch G., et al. **321**, 531
Bracco C.: Re-analysis of scintillation effects from gravitational waves **321**, 985
Braine J., Henkel C., Wiklind T.: The neutral gas content of X-ray bright elliptical galaxies **321**, 765
Brandner W., Zinnecker H.: Physical properties of 90 AU to 250 AU pre-main-sequence binaries **321**, 220
Brehin S., see Beaulieu J.P., et al. **321**, L5
Breitschwerdt D., see Ptuskin V.S., et al. **321**, 434
Brucato J.R., see Strazzulla G., et al. **321**, 618
Buchler J.R., Goupil M.-J., Hansen C.J.: On the role of resonances in nonradial pulsators **321**, 159
Bues I., see Unglaub K. **321**, 485
Burton W.B., see Blom J.J., et al. **321**, 288
Butler K., see Taresch G., et al. **321**, 531
Bykov A.M., see Blom J.J., et al. **321**, 288
Cabrit S., Lagage P.-O., McCaughrean M., Olofsson G.: Origin of the mid-infrared emission and supersonic jet toward LkH α234 **321**, 523
Camphens M., see Bagnulo S., et al. **321**, 605
Carilli C.L., see van Ojik R., et al. **321**, 389
Castelli F., Parthasarathy M., Hack M.: Abundances of the ^{3}He star 3 Cen A (B5 IIIp) from ultraviolet IUE spectra **321**, 254
Cavalier F., see Beaulieu J.P., et al. **321**, L5
Cellino A., see Migliorini F., et al. **321**, 652
Chapellier E., see Sareyan J.P., et al. **321**, 145
Chauville J., see Sareyan J.P., et al. **321**, 145
Chi X., Young E.C.M., Beck R.: Depolarization of radio synchrotron emission in spiral galaxies **321**, 71
Christensen-Dalsgaard J., see Basu S., et al. **321**, 634
Ciotti L., Lanzoni B.: Stellar systems following the $R^{1/m}$ luminosity law. II. Anisotropy, velocity profiles, and the fundamental plane of elliptical galaxies **321**, 724
Corcoran M., Ray T.P.: Forbidden emission lines in Herbig Ae/Be stars **321**, 189
Coutures C., see Beaulieu J.P., et al. **321**, L5
Covino S., see Tagliaferri G., et al. **321**, 850
Cox P., Maillard J.-P., Huggins P.J., Forveille T., Simons D., Guilloteau S., Rigaut F., Bachiller R., Omont A.: Molecular hydrogen morphology, kinematics and excitation in AFGL 2688 and NGC 7027 **321**, 907
Craig N., see Welsh B.Y., et al. **321**, 888
Cristiani S., Trentini S., La Franca F., Andreani P.: The optical variability of QSOs. II. The wavelength dependence **321**, 123
Curry J.J., Gibson N.D., Lawler J.E.: **(RN)** Branching ratio measurement of N^+ inter-system lines, $2s2p^3\ ^5S_2-2s^22p^2\ ^3P_{2,1}$ **321**, 1021
Dantel-Fort M., see Fort B., et al. **321**, 353
Davis G.R., see de Graauw T., et al. **321**, L13
Deharveng J.M., see Le Brun V., et al. **321**, 733
Deiss B.M., Reich W., Lesch H., Wielebinski R.: The large-scale structure of the diffuse radio halo of the Coma cluster at 1.4 GHz **321**, 55
Delabrouille N., see Beaulieu J.P., et al. **321**, L5
Deleuil M., see Lecavelier des Etangs A., et al. **321**, L39
Della Valle M., see Bianchini A., et al. **321**, 477
del Olmo A., see Verdes-Montenegro L., et al. **321**, 409
Del Popolo A., Gambera M.: Substructure effects on the collapse of density perturbations **321**, 691
den Hartog R., see Biviano A., et al. **321**, 84
de Bruyn A.G., see Galama T.J., et al. **321**, 229
de Garcia Maia M.R., see De Medeiros J.R., et al. **321**, L37
de Graauw T., Feuchtgruber H., Bézard B., Drossart P., Encrenaz T., Beintema D.A., Griffin M., Heras A., Kessler M., Leech K., Lellouch E., Morris P., Roelfsema P.R., Roos-Serote M., Salama A., Vandenbussche B., Valentijn E.A., Davis G.R., Naylor D.A.: First results of ISO-SWS observations of Saturn: detection of CO_2, CH_3C_2H, C_4H_2 and tropospheric H_2O **321**, L13
de Kat J., see Beaulieu J.P., et al. **321**, L5
De Keyser J., Roth M., Tsurutani B.T., Ho C.M., Phillips J.L.: Solar wind velocity jumps across tangential discontinuities: Ulysses observations and kinetic interpretation **321**, 945
De Medeiros J.R., Lèbre A., de Garcia Maia M.R., Monier R.: IUE observations of Beryllium II lines in Lithium-rich giant stars **321**, L37
De Paolis F., Ingrosso G.: X-ray emission from neutron stars in dark clusters **321**, 696
de Vries W.H., Barthel P.D., O'Dea C.P.: Radio spectra of Gigahertz Peaked Spectrum radio sources **321**, 105
Di Martino M., see Migliorini F., et al. **321**, 652
Dotani T., see Oosterbroek T., et al. **321**, 776
Doyle J.G., see Bagnulo S., et al. **321**, 605
Drossart P., see de Graauw T., et al. **321**, L13
Dubath P., Grillmair C.J.: Velocity dispersions and mass-to-light ratios for 9 globular clusters in M 31 **321**, 379
Dzura A.M., see Kalenskii S.V., et al. **321**, 311
Emerson J.P., see Guenther E.W. **321**, 803
Encrenaz T., see de Graauw T., et al. **321**, L13
Ergma E., see Portegies Zwart S.F., et al. **321**, 207
Etoka S., Le Squeren A.M.: OH eruptive Mira stars **321**, 877
Falomo R., Kotilainen J., Pursimo T., Sillanpää A., Takalo L., Heidt J.: On the galaxy surrounding the BL Lacertae object MS 0205.7+3509 **321**, 374
Feng Yuan, see Ju-Fu Lu, et al. **321**, 665
Ferlet R., see Beaulieu J.P., et al. **321**, L5
Ferlet R., see Lecavelier des Etangs A., et al. **321**, L39
Ferrari A., see Rossi P., et al. **321**, 672
Ferraro F.R., see Origlia L., et al. **321**, 859
Feuchtgruber H., see de Graauw T., et al. **321**, L13
Fishman G., see Galama T.J., et al. **321**, 229
Fleming T.A., see Tagliaferri G., et al. **321**, 850
Flower D.R., see Schilke P., et al. **321**, 293
Focardi P., see Biviano A., et al. **321**, 84
Fort B., Mellier Y., Dantel-Fort M.: Distribution of galaxies at large redshift and cosmological parameters from the magnification bias in Cl 0024+1654 **321**, 353
Forveille T., see Cox P., et al. **321**, 907
Fulle M., Milani A., Pansecchi L.: Tomography of a sunward structure in the dust tail of comet 19P/Borrelly **321**, 338
Fusi Pecci F., see Origlia L., et al. **321**, 859
Gagné M., see Tagliaferri G., et al. **321**, 850
Galama T.J., de Bruyn A.G., van Paradijs J., Hanlon L., Groot P.J., van der Klis M., Strom R., Spoelstra T., Bennett K., Fishman G., Hurley K.: Two variable radio sources near the position of GRB 940301 **321**, 229
Gambera M., see Del Popolo A. **321**, 691
Giannone P., see Angeletti L. **321**, 343
Gibson N.D., see Curry J.J., et al. **321**, 1021
Goedbloed J.P., see Poedts S. **321**, 935
Gölz M., see Zweigle J., et al. **321**, 891
Gomes R.S.: A deeper look at resonance trapping **321**, 960
Goupil M.-J., see Buchler J.R., et al. **321**, 159
Goussard J.O., Haensel P., Zdunik J.L.: Rapid uniform rotation of protoneutron stars **321**, 822

Grachev S.I., see Ivanov V.V., et al. **321**, 968
Grewing M., see Zweigle J., et al. **321**, 891
Griffin M., see de Graauw T., et al. **321**, L13
Grillmair C.J., see Dubath P. **321**, 379
Gringel W., see Zweigle J., et al. **321**, 891
Groot P.J., see Galama T.J., et al. **321**, 229
Gros M., see Beaulieu J.P., et al. **321**, L5
Gry C., see Beaulieu J.P., et al. **321**, L5
Guenther E.W., Emerson J.P.: Spectrophotometry of flares and short time scale variations in weak line, and classical T Tauri stars in Chamaeleon **321**, 803
Guenther E.W., see Hessman F.V. **321**, 497
Guilloteau S., see Alloin D., et al. **321**, 24
Guilloteau S., see Cox P., et al. **321**, 907
Gurzadyan V.G., Torres S.: Testing the effect of geodesic mixing with COBE data to reveal the curvature of the universe **321**, 19
Gustafsson B., see Asplund M., et al. **321**, L17
Haardt F., see Tagliaferri G., et al. **321**, 850
Haas C., see Zweigle J., et al. **321**, 891
Hack M., see Castelli F., et al. **321**, 254
Haensel P., see Goussard J.O., et al. **321**, 822
Haikala L.K., see Anderson I.M., et al. **321**, 575
Hall D.S., see Oláh K., et al. **321**, 811
Hanasz M., Lesch H.: The galactic dynamo effect due to Parker-shearing instability of magnetic flux tubes. I. General formalism and the linear approximation **321**, 1007
Hanlon L., see Galama T.J., et al. **321**, 229
Hansen C.J., see Buchler J.R., et al. **321**, 159
Harju J., see Anderson I.M., et al. **321**, 575
Harris A.I., see Schuster K.-F., et al. **321**, 568
Hartmann D., see Blom J.J., et al. **321**, 288
Haser S.M., see Taresch G., et al. **321**, 531
Heidt J., see Falomo R., et al. **321**, 374
Henkel C., see Braine J., et al. **321**, 765
Henry G.W., see Oláh K., et al. **321**, 811
Heras A., see de Graauw T., et al. **321**, L13
Hermsen W., see Blom J.J., et al. **321**, 288
Hessman F.V., Guenther E.W.: The highly veiled T Tauri stars DG Tau, DR Tau, and DI Cephei **321**, 497
Ho C.M., see De Keyser J., et al. **321**, 945
Hopfensitz W., see Zweigle J., et al. **321**, 891
Hu W., see White M. **321**, 8
Huggins P.J., see Cox P., et al. **321**, 907
Hunstead R.W., see Liang H., et al. **321**, 64
Hurley K., see Galama T.J., et al. **321**, 229
Hurwitz M., see Taresch G., et al. **321**, 531
Ingrosso G., see De Paolis F. **321**, 696
Isaak K.G., see van Ojik R., et al. **321**, 389
Ivanov V.V., Grachev S.I., Loskutov V.M.: Polarized line formation by resonance scattering. II. Conservative case **321**, 968
Iyudin A.F., see Blom J.J., et al. **321**, 288
Janka H.-T., see Ruffert M., et al. **321**, 991
Jardine M., see Unruh Y.C. **321**, 177
Jelinsky S., see Welsh B.Y., et al. **321**, 888
Jenness T., see van Ojik R., et al. **321**, 389
Jerjen H., Tammann G.A.: Studies of the Centaurus cluster. III. Luminosity functions of individual Hubble-types as compared to Virgo and Fornax **321**, 713
Jetsu L.: The "human" statistics of terrestrial impact cratering rate **321**, L33
Ju-Fu Lu, Yu K.N., Feng Yuan, Young E.C.M.: Standing Rankine–Hugoniot shocks in accretion and wind flows in Kerr geometry **321**, 665
Käufl H.U., see Voors R.H.M., et al. **321**, L21
Kai-ke Pan: Synchronization in the early-type detached binary stars **321**, 202
Kalenskii S.V., Dzura A.M., Booth R.S., Winnberg A., Alakoz A.V.: Determination of molecular cloud parameters using thermal methanol lines **321**, 311
Kameswara Rao N., see Asplund M., et al. **321**, L17
Kappelmann N., see Zweigle J., et al. **321**, 891
Karlsson K.G., see Bergvall N., et al. **321**, 771
Katgert P., see Biviano A., et al. **321**, 84
Katsova M.M., Boiko A.Y., Livshits M.A.: The gas-dynamic model of impulsive stellar flares **321**, 549
Keller C.U., see Stenflo J.O. **321**, 927
Kessler M., see de Graauw T., et al. **321**, L13
Kharchenko N.V., see Kislyuk V.S., et al. **321**, 660
Khosroshahi H.G., Sobouti Y.: Response of a star to gravitational waves **321**, 1024
Kislyuk V.S., Rybka S.P., Yatsenko A.I., Kharchenko N.V.: Hipparcos extragalactic link by means of absolute proper motions of stars related to galaxies: Kyiv solution **321**, 660
Knapik A., Bergeat J.: Interstellar extinction and the intrinsic spectral distribution of variable carbon stars **321**, 236
Knapik A., see Bergeat J. **321**, L9
Knee L.B.G., see Anderson I.M., et al. **321**, 575
Kővári Z., see Oláh K., et al. **321**, 811
Kotilainen J., see Falomo R., et al. **321**, 374
Krämer G., see Zweigle J., et al. **321**, 891
Kramer M., Xilouris K.M., Rickett B.: Unexpected variations in pulsar flux-densities at mm-wavelengths **321**, 513
Krautter J., see Zweigle J., et al. **321**, 891
Krockenberger M., see Beaulieu J.P., et al. **321**, L5
Krüger D., Sedlmayr E.: Two-fluid models for stationary dust driven winds. II. The grain size distribution in consideration of drift **321**, 557
Kudritzki R.P., see Taresch G., et al. **321**, 531
Küveler G., see Sütterlin P., et al. **321**, 921
Lachièze-Rey M., see Beaulieu J.P., et al. **321**, L5
Lacy M., see van Ojik R., et al. **321**, 389
Lagage P.-O., see Cabrit S., et al. **321**, 523
Lagrange A.-M., see Lecavelier des Etangs A., et al. **321**, L39
Lambert D.L., see Asplund M., et al. **321**, L17
Lanzoni B., see Ciotti L. **321**, 724
Laurent B., see Beaulieu J.P., et al. **321**, L5
Lawler J.E., see Curry J.J., et al. **321**, 1021
la Dous C., Meyer F., Meyer-Hofmeister E.: UV Observations of dwarf novae in quiescence – effects of evaporation? **321**, 213
La Franca F., see Cristiani S., et al. **321**, 123
Lèbre A., see De Medeiros J.R., et al. **321**, L37
Lecacheux A., see Abada-Simon M., et al. **321**, 841
Lecavelier des Etangs A., Vidal-Madjar A., Backman D.E., Deleuil M., Lagrange A.-M., Lissauer J.J., Ferlet R., Beust H., Mouillet D.: Discovery of C1 around 51 Ophiuchi **321**, L39
Leech K., see de Graauw T., et al. **321**, L13
Leeuwin F., see Bertin G., et al. **321**, 703
Lellouch E., see de Graauw T., et al. **321**, L13
Lennon D.J., see Taresch G., et al. **321**, 531
Lesch H., see Deiss B.M., et al. **321**, 55
Lesch H., see Hanasz M. **321**, 1007
Lesquoy E., see Beaulieu J.P., et al. **321**, L5
Lewin W.H.G., see Oosterbroek T., et al. **321**, 776
Le Brun V., Bergeron J., Boissé P., Deharveng J.M.: The nature of intermediate-redshift damped Ly α absorbers **321**, 733
Le Squeren A.M., see Etoka S. **321**, 877

Li X.-D., van den Heuvel E.P.J.: On the nature of SMC X-1 **321**, L25
Liang H., Pierre M., Unewisse A., Hunstead R.W.: An X-ray and radio study of the cluster A 2717 **321**, 64
Liechti S., Walmsley C.M.: Thermal methanol emission in the DR 21 complex. Interferometric maps: a comparison with maser emission **321**, 625
Lissauer J.J., see Lecavelier des Etangs A., et al. **321**, L39
Livshits M.A., see Katsova M.M., et al. **321**, 549
Loskutov V.M., see Ivanov V.V., et al. **321**, 968
Maeder A.: Stellar evolution with rotation. II. A new approach for shear mixing **321**, 134
Maeder A., see Meynet G. **321**, 465
Magneville C., see Beaulieu J.P., et al. **321**, L5
Maillard J.-P., see Cox P., et al. **321**, 907
Manara A., see Migliorini F., et al. **321**, 652
Mandel H., see Zweigle J., et al. **321**, 891
Margoni R., see Bianchini A., et al. **321**, 477
Marlborough J.M., Zijlstra J.-W., Waters L.B.F.M.: A study of the infrared spectrum of ψ Persei. I. A parameter study of the disc model **321**, 867
Márquez I., see Verdes-Montenegro L., et al. **321**, 409
Martín E.L.: Quantitative spectroscopic criteria for the classification of pre-main sequence low-mass stars **321**, 492
Martin P., Belley J.: Nebular gas abundances and mixing processes in the ringed galaxy NGC 4736 **321**, 363
Martínez-González E., see Benítez N., et al. **321**, 129
Martín-Mirones J.M., see Benítez N., et al. **321**, L1
Masetti N., see Bianchini A., et al. **321**, 477
Masperi L., Savaglio S.: Comparison of stars and decaying neutrinos as additional sources of the intergalactic UV background **321**, 1
Massaglia S., see Rossi P., et al. **321**, 672
Matteucci F., Molaro P., Vladilo G.: Chemical evolution of damped Lyα systems **321**, 45
Maurice E., see Beaulieu J.P., et al. **321**, L5
Mazure A., see Biviano A., et al. **321**, 84
McCaughrean M., see Cabrit S., et al. **321**, 523
Mellema G.: The formation of bipolar planetary nebulae **321**, L29
Mellier Y., see Fort B., et al. **321**, 353
Méndez R.H., Soffner T.: Improved simulations of the planetary nebula luminosity function **321**, 898
Mereghetti S., Belloni T., Nasuti F.P.: RX J1838.4-0301: an accreting pulsar or coronal X-ray emission? **321**, 835
Meunier N., see Nesme-Ribes E., et al. **321**, 323
Meyer F., see la Dous C., et al. **321**, 213
Meyer F., see Meyer-Hofmeister E., et al. **321**, 245
Meyer-Hofmeister E., Schandl S., Meyer F.: The structure of the accretion disk rim in supersoft X-ray sources **321**, 245
Meyer-Hofmeister E., see la Dous C., et al. **321**, 213
Meynet G., Maeder A.: Stellar evolution with rotation. I. The computational method and the inhibiting effect of the μ-gradient **321**, 465
Meynet G., see Arnould M., et al. **321**, 452
Migliorini F., Manara A., Cellino A., Di Martino M., Zappalà V.: (7) Iris: a possible source of ordinary chondrites? **321**, 652
Milani A., see Fulle M., et al. **321**, 338
Miley G.K., see van Ojik R., et al. **321**, 389
Milsztajn A., see Beaulieu J.P., et al. **321**, L5
Mitsuda K., see Oosterbroek T., et al. **321**, 776
Miyamoto S., see Oosterbroek T., et al. **321**, 776
Molaro P., see Matteucci F., et al. **321**, 45
Moles M., see Biviano A., et al. **321**, 84
Monier R., see De Medeiros J.R., et al. **321**, L37
Moniez M., see Beaulieu J.P., et al. **321**, L5
Morris P., see de Graauw T., et al. **321**, L13
Moscoso L., see Beaulieu J.P., et al. **321**, L5
Moss D., Tuominen I.: Magnetic field generation in close binary systems **321**, 151
Mouillet D., see Lecavelier des Etangs A., et al. **321**, L39
Nagase F., see Oosterbroek T., et al. **321**, 776
Nasuti F.P., see Mereghetti S., et al. **321**, 835
Naylor D.A., see de Graauw T., et al. **321**, L13
Nazarova L.S., O'Brien P.T., Ward M.J.: The extended narrow line region in Mkn 79. II. Modelling **321**, 397
Nesme-Ribes E., Meunier N., Vince I.: Solar dynamics over cycle 19 using sunspots as tracers **321**, 323
O'Brien P.T., see Nazarova L.S., et al. **321**, 397
O'Dea C.P., see de Vries W.H., et al. **321**, 105
Örndahl E., see Bergvall N., et al. **321**, 771
Östlin G., see Bergvall N., et al. **321**, 771
Oláh K., Kővári Z., Bartus J., Strassmeier K.G., Hall D.S., Henry G.W.: Time-series photometric spot modeling. III. Thirty years in the life of HK Lacertae **321**, 811
Oliva E., see Origlia L., et al. **321**, 859
Olofsson G., see Cabrit S., et al. **321**, 523
Olofsson K.: Effects of star cluster evolution on emission line ratios and the application to H II galaxies. Including a calibration of the R_{23} vs. 12 + log (O/H) relationship **321**, 29
Omont A., see Cox P., et al. **321**, 907
Oosterbroek T., van der Klis M., van Paradijs J., Vaughan B., Rutledge R., Lewin W.H.G., Tanaka Y., Nagase F., Dotani T., Mitsuda K., Miyamoto S.: Spectral and timing behaviour of GS 2023+338 **321**, 776
Origlia L., Ferraro F.R., Fusi Pecci F., Oliva E.: Infrared stellar absorption lines around 1.6 μm: a new metallicity scale for old stellar populations **321**, 859
Pallavicini R., see Tagliaferri G., et al. **321**, 850
Palumbo M.E., see Strazzulla G., et al. **321**, 618
Pansecchi L., see Fulle M., et al. **321**, 338
Parthasarathy M., see Castelli F., et al. **321**, 254
Paturel G., see Witasse O. **321**, 10
Pauldrach A.W.A., see Taresch G., et al. **321**, 531
Paulus G., see Arnould M., et al. **321**, 452
Pegoraro F., see Bertin G., et al. **321**, 703
Perea J., see Biviano A., et al. **321**, 84
Perea J., see Verdes-Montenegro L., et al. **321**, 409
Phillips J.L., see De Keyser J., et al. **321**, 945
Pichon C., see Bienaymé O. **321**, L43
Pierre M., see Liang H., et al. **321**, 64
Pineau des Forêts G., see Schilke P., et al. **321**, 293
Poedts S., Goedbloed J.P.: Nonlinear wave heating of solar coronal loops **321**, 935
Pogorelov N.V., Semenov A.Y.: Solar wind interaction with the magnetized interstellar medium. Shock-capturing modeling **321**, 330
Portegies Zwart S.F., Verbunt F., Ergma E.: The formation of black-holes in low-mass X-ray binaries **321**, 207
Prévot L., see Beaulieu J.P., et al. **321**, L5
Prugniel P., Simien F.: The fundamental plane of early-type galaxies: non-homology of the spatial structure **321**, 111
Ptuskin V.S., Völk H.J., Zirakashvili V.N., Breitschwerdt D.: Transport of relativistic nucleons in a galactic wind driven by cosmic rays **321**, 434
Puls J., see Taresch G., et al. **321**, 531
Pursimo T., see Falomo R., et al. **321**, 374
Queinnec F., see Beaulieu J.P., et al. **321**, L5
Rampp M., see Ruffert M., et al. **321**, 991

Ray T.P., see Corcoran M. **321**, 189
Reich W., see Deiss B.M., et al. **321**, 55
Renault C., see Beaulieu J.P., et al. **321**, L5
Reshetnikov V.P.: Candidate polar-ring galaxies in the Hubble Deep Field **321**, 749
Rich J., see Beaulieu J.P., et al. **321**, L5
Rickett B., see Kramer M., et al. **321**, 513
Rigaut F., see Cox P., et al. **321**, 907
Rodrigo-Blanco C.: An analytical method for inferring the law of gravity from the macroscopic dynamics: Spherical and thin-disk mass distributions with exponential density **321**, 444
Roelfsema P.R., see de Graauw T., et al. **321**, L13
Rönnback J., see Bergvall N., et al. **321**, 771
Röttgering H.J.A., see van Ojik R., et al. **321**, 389
Roos-Serote M., see de Graauw T., et al. **321**, L13
Rossi P., Bodo G., Massaglia S., Ferrari A.: Evolution of Kelvin–Helmholtz instabilities in radiative jets. II. Shock structure and entrainment properties **321**, 672
Roth M., see De Keyser J., et al. **321**, 945
Rubini F., see Bertin G., et al. **321**, 703
Ruffert M., Rampp M., Janka H.-T.: Coalescing neutron stars – gravitational waves from polytropic models **321**, 991
Russell A.P.G., see Schuster K.-F., et al. **321**, 568
Rutledge R., see Oosterbroek T., et al. **321**, 776
Ryan J., see Blom J.J., et al. **321**, 288
Rybka S.P., see Kislyuk V.S., et al. **321**, 660
Salama A., see de Graauw T., et al. **321**, L13
Sanz J.L., see Benítez N., et al. **321**, 129
Sareyan J.P., Chauville J., Chapellier E., Alvarez M.: Amplitude monitoring of the β Cephei star 16 Lacertae **321**, 145
Sasseen T., see Welsh B.Y., et al. **321**, 888
Sasselov D.D., see Beaulieu J.P., et al. **321**, L5
Satorre M.A., see Strazzulla G., et al. **321**, 618
Savaglio S., see Masperi L. **321**, 1
Schaab C., Voskresensky D., Sedrakian A.D., Weber F., Weigel M.K.: Impact of medium effects on the cooling of non-superfluid and superfluid neutron stars **321**, 591
Schandl S., see Meyer-Hofmeister E., et al. **321**, 245
Schild H., see Schmid H.M. **321**, 791
Schilke P., Walmsley C.M., Pineau des Forêts G., Flower D.R.: SiO production in interstellar shocks **321**, 293
Schmid H.M., Schild H.: Spectropolarimetry of symbiotic stars: AG Draconis **321**, 791
Schmidt W., see Tritschler A. **321**, 643
Schmutz W.: Photon loss from the helium Lyα line – the key to the acceleration of Wolf–Rayet winds **321**, 268
Schönfelder V., see Blom J.J., et al. **321**, 288
Schuster K.-F., Harris A.I., Russell A.P.G.: The molecular envelope around T Tauri and the nature of NGC 1555 **321**, 568
Sedlmayr E., see Krüger D. **321**, 557
Sedrakian A.D., see Schaab C., et al. **321**, 591
Semenov A.Y., see Pogorelov N.V. **321**, 330
Shalybkov D.A., Urpin V.A.: The Hall effect and the decay of magnetic fields **321**, 685
Sieber W.: Geometrical effects on radio pulsar profiles and spectra **321**, 519
Sillanpää A., see Falomo R., et al. **321**, 374
Simien F., see Prugniel P. **321**, 111
Simons D., see Cox P., et al. **321**, 907
Skinner C.J., see Bagnulo S., et al. **321**, 605
Sleath J., see van Ojik R., et al. **321**, 389
Smirnova T.V., Boriakoff V.: High accuracy measurements of the interstellar magnetic field in the direction of pulsars with a new method **321**, 305
Sobouti Y., see Khosroshahi H.G. **321**, 1024
Soffner T., see Méndez R.H. **321**, 898
Spiro M., see Beaulieu J.P., et al. **321**, L5
Spoelstra T., see Galama T.J., et al. **321**, 229
Stenflo J.O., Keller C.U.: The second solar spectrum. A new window for diagnostics of the Sun **321**, 927
Strassmeier K.G., see Oláh K., et al. **321**, 811
Strazzulla G., Brucato J.R., Palumbo M.E., Satorre M.A.: Is it possible to detect frozen O_2 and N_2 on interstellar grains? **321**, 618
Strom R., see Galama T.J., et al. **321**, 229
Strong A.W., see Blom J.J., et al. **321**, 288
Sütterlin P., Wiehr E., Bianda M., Küveler G.: Problems in measuring prominence oscillations **321**, 921
Tacconi L., see Alloin D., et al. **321**, 24
Tagliaferri G., Covino S., Fleming T.A., Gagné M., Pallavicini R., Haardt F., Uchida Y.: Coronal X-ray emission of HD 35850: the ASCA view **321**, 850
Takalo L., see Falomo R., et al. **321**, 374
Tammann G.A., see Jerjen H. **321**, 713
Tanaka Y., see Oosterbroek T., et al. **321**, 776
Taresch G., Kudritzki R.P., Hurwitz M., Bowyer S., Pauldrach A.W.A., Puls J., Butler K., Lennon D.J., Haser S.M.: Quantitative analysis of the FUV, UV and optical spectrum of the O3 star HD 93129A **321**, 531
Thompson M.J., see Basu S., et al. **321**, 634
Torres S., see Gurzadyan V.G. **321**, 19
Trams N.R., see Voors R.H.M., et al. **321**, L21
Trentham N.: **(RN)** A candidate supernova in the ultraluminous infrared galaxy IRAS 12112+0305 **321**, 81
Trentini S., see Cristiani S., et al. **321**, 123
Tritschler A., Schmidt W.: Some properties of sunspot umbral dots **321**, 643
Tsurutani B.T., see De Keyser J., et al. **321**, 945
Tuominen I., see Moss D. **321**, 151
Uchida Y., see Tagliaferri G., et al. **321**, 850
Unewisse A., see Liang H., et al. **321**, 64
Unglaub K., Bues I.: The influence of gravitational settling and selective radiative forces in PG 1159 stars. II **321**, 485
Unruh Y.C., Jardine M.: Magnetic loops on rapidly rotating stars **321**, 177
Urpin V.A., see Shalybkov D.A. **321**, 685
Uvarov Y.A., see Blom J.J., et al. **321**, 288
Valentijn E.A., see de Graauw T., et al. **321**, L13
Vandenbussche B., see de Graauw T., et al. **321**, L13
van den Heuvel E.P.J., see Li X.-D. **321**, L25
van der Klis M., see Galama T.J., et al. **321**, 229
van der Klis M., see Oosterbroek T., et al. **321**, 776
van der Werf P.P., see van Ojik R., et al. **321**, 389
van Ojik R., Röttgering H.J.A., van der Werf P.P., Miley G.K., Carilli C.L., Visser A., Isaak K.G., Lacy M., Jenness T., Sleath J., Wink J.: A search for molecular gas in high redshift radio galaxies **321**, 389
van Paradijs J., see Galama T.J., et al. **321**, 229
van Paradijs J., see Oosterbroek T., et al. **321**, 776
Vaughan B., see Oosterbroek T., et al. **321**, 776
Verbunt F., see Portegies Zwart S.F., et al. **321**, 207
Verdes-Montenegro L., Bosma A., Athanassoula E.: The ringed, warped and isolated galaxy NGC 6015 **321**, 754
Verdes-Montenegro L., del Olmo A., Perea J., Athanassoula E., Márquez I., Augarde R.: Hickson 96: a physical compact group **321**, 409
Vidal-Madjar A., see Beaulieu J.P., et al. **321**, L5

Vidal-Madjar A., see Lecavelier des Etangs A., et al. **321**, L39
Vigroux L., see Beaulieu J.P., et al. **321**, L5
Vince I., see Nesme-Ribes E., et al. **321**, 323
Visser A., see van Ojik R., et al. **321**, 389
Vladilo G., see Matteucci F., et al. **321**, 45
Völk H.J., see Ptuskin V.S., et al. **321**, 434
Voors R.H.M., Waters L.B.F.M., Trams N.R., Käufl H.U.: A two-component infrared nebula around HR Carinae **321**, L21
Voskresensky D., see Schaab C., et al. **321**, 591
Walmsley C.M., see Liechti S. **321**, 625
Walmsley C.M., see Schilke P., et al. **321**, 293
Ward M.J., see Nazarova L.S., et al. **321**, 397
Waters L.B.F.M., see Marlborough J.M., et al. **321**, 867
Waters L.B.F.M., see Voors R.H.M., et al. **321**, L21
Weber F., see Schaab C., et al. **321**, 591
Weigel M.K., see Schaab C., et al. **321**, 591
Welsh B.Y., Craig N., Jelinsky S., Sasseen T.: Circumstellar disk variations around β Pictoris **321**, 888
White M., Hu W.: The Sachs–Wolfe effect **321**, 8
Wiehr E., see Sütterlin P., et al. **321**, 921
Wielebinski R., see Deiss B.M., et al. **321**, 55
Wiklind T., see Braine J., et al. **321**, 765
Wink J., see van Ojik R., et al. **321**, 389
Winnberg A., see Kalenskii S.V., et al. **321**, 311
Witasse O., Paturel G.: Influence of a partial incompleteness of the sample on the determination of the Hubble constant **321**, 10
Xilouris K.M., see Kramer M., et al. **321**, 513
Yatsenko A.I., see Kislyuk V.S., et al. **321**, 660
Young E.C.M., see Chi X., et al. **321**, 71
Young E.C.M., see Ju-Fu Lu, et al. **321**, 665
Yu K.N., see Ju-Fu Lu, et al. **321**, 665
Zappalà V., see Migliorini F., et al. **321**, 652
Zdunik J.L., see Goussard J.O., et al. **321**, 822
Zijlstra J.-W., see Marlborough J.M., et al. **321**, 867
Zinnecker H., see Brandner W. **321**, 220
Zirakashvili V.N., see Ptuskin V.S., et al. **321**, 434
Zweigle J., Grewing M., Barnstedt J., Gölz M., Gringel W., Haas C., Hopfensitz W., Kappelmann N., Krämer G., Appenzeller I., Krautter J., Mandel H.: ORFEUS observations of S VI, O VI and P V in the stellar wind from the nucleus of NGC 6543 **321**, 891
Zylberajch S., see Beaulieu J.P., et al. **321**, L5